

Graph basics

(CLRS B.4-B.5, 22.1)

- A graph G = (V, E) consists of a set of vertices V and a set of edges E.
- Vertices are objects, and edges model relationships. E.g. graphs can model a network of people, where edges mean friendships (the friendship graph).
- There are two types of graphs: directed and undirected.
- Directed graph: E is a set of ordered pairs of vertices (u, v) where $u, v \in V$



• Undirected graph: E is a set of unordered pairs of vertices $\{u,v\}$ where $u,v\in V$



- Note: Some definitions do not allow self loops (graphs are simpler to work with).
- Often the edges (u, v) in a graph have weights w(u, v), e.g.
 - Road networks (distances)
 - Cable networks (capacity)

Example

• Graphs appear all over the place in all kinds of applications.

Example: the friendship graph: vertices are people, and edges are friendships. Some relevant questions:

- is it directed or undirected? (if I am your friend, does it mean you are my friend??)
- Are two people friends? How close?
- Am I linked by some chain of friends to a star?
- How close am I to a star?
- Is there a path between any two people in the graph?
- Who has the most friends?
- What is the largest clique?

Terminology

- Edge (u, v) is said to be *incident* to u and v
- Undirected graph: Degree of vertex is the number of edges incident to it.
- Directed graph: In (out) degree of a vertex is the number of edges entering (leaving) it.
- Paths: A path from u_1 to u_2 is a sequence of vertices $\langle u_1=v_0, v_1, v_2, \cdots, v_k=u_2 \rangle$ such that $(v_i, v_{i+1}) \in E$ (or $\{v_i, v_{i+1}\} \in E$). If $v_0 = v_k$ then it is a cycle. The length of a path is the number of edges on it.
- Reachability: if there is a path from u_1 to u_2 we write $u_1 \rightsquigarrow u_2$ and we say that u_2 is reachable from u_1 (directed and undirected graphs).
- An undirected graph is *connected* if every pair of vertices are connected by a path
 - The *connected components* are the equivalence classes of the vertices under the "reachability" relation. (All connected pair of vertices are in the same connected component).
- A directed graph is strongly connected if every pair of vertices are reachable from each other
 - The *strongly connected components* are the equivalence classes of the vertices under the "mutual reachability" relation.
- A graph is called a *tree* if there is a single path between any two vertices in G. It can be shown that a tree is connected, has no cycles, and the number of edges is precisely |E| = |V| 1 (actually it can be shown that any two of these properties implies the third one).

Graph Size

We will express algorithm running time (and memory) in terms of |V| and |E|, often dropping the |V|'s. Sometimes |V| = n and |E| = m.


- the number of edges in a graph can be as liittle as 0 (not a very interesting graph): $|E| \ge 0$
- the largest number of edges in a graph is $|E| = O(|V|^2)$. The exact count depends on whether the graph is directed or not, and if self loops are allowed.
- if $|E| \sim |V|^2$ the graph is said to be dense
- if $|E| \sim |V|$ the graph is said to be sparse

Graph representation

A graph can be repreented as adjacency list or matrix.

• Adjacency-list representation: Array of |V| list of edges incident to each vertex.


Examples:




- Note: For undirected graphs, every edge is stored twice.
- If graph is weighted, a weight is stored with each edge.
- How much space is required?
- Adjacency-matrix representation: $|V| \times |V|$ matrix A where

$$a_{ij} = \begin{cases} 1 & \text{if } (i,j) \in E \\ 0 & \text{otherwise} \end{cases}$$

Examples:





- Note: For undirected graphs, the adjacency matrix is symmetric along the main diagonal $(A^T = A)$.
- If graph is weighted, weights are stored instead of one's.
- How much space is required?
- Comparison of matrix and list representation:

	Adjacency list	Adjacency matrix
-	O(V + E) space Good if graph sparse $(E << V ^2)$ No quick access to (u, v)	$O(V ^2)$ space Good if graph dense $(E \approx V ^2)$ O(1) access to (u, v)

- We will use adjacency list representation unless stated otherwise (O(|V| + |E|)) space).
- Interesting: large graphs are sparse.